

BNSF



Burlington Northern Santa Fe Railway Fall River Division

Welcome, to the BNSF Fall River Division, a prototype based freelance model railroad of the BNSF Railway. Scenes on the layout are representative of cities, industries, lifestyle, and scenery found almost anywhere throughout the United States. The era of the layout is considered “modern” as the details, structures, engines and rolling stock are typical of what may have been found along the railroad between the year 2010 and the present time.

Construction on the BNSF Fall River Division began in January of 2007. The layout is in a 3,000-square foot area, specifically designed for the railroad. A group of dedicated people have been involved in the construction process since the beginning, and continue to meet weekly to build the railroad.

The layout is primarily a double deck “mushroom” type design, with only one deck visible at any time. Trains move between decks through helixes located throughout the railroad, as well as a 1.8% ruling visible grade between Sage and Kimber. Aisle widths are generally between 36 and 48 inches, to comfortably accommodate many operators and visitors.

Digital Command Control (DCC) is utilized on the railroad. Digitrax is exclusively used for power management, train detection, and signaling. All trains are sound equipped, and sound effects are located throughout the layout.

Lighting consists of “daylight” color tones to better represent the true color of sunlight. Night lighting effects (blue LED lights) are also used throughout the layout during night operations.

Train Operations

The track plan is linear in nature, and includes a large staging area (representing five destinations), a large division classification yard, and several junctions and interchange tracks used by other railroads. More than 1,000 feet of single and double track mainline is operational, which *excludes* yards, staging, industry track, and passing sidings. A modern computer-based centralized traffic control (CTC) system, and signals, are utilized to manage all mainline traffic movement. A dispatcher’s office is located adjacent to the crew lounge. Crews communicate between the dispatcher, yards, and Traffic Center using both two-way radios and a stand-alone telephone system.

Car forwarding is managed using JMRI Operations in “real time,” meaning that manifests and switch lists are generated during the operating session.

On a monthly basis, between 18 and 20 people operate the railroad, moving freight across the division. Commodities of all sorts are transported across the system. Daily railfans can observe unit trains (coal, stack, autorack, tank, grain, etc.), local trains servicing customers, Amtrak passenger trains, and even an occasional passenger special or excursion train.

Layout Specifications

Name	BNSF Fall River Division
Scale	HO (1:87)
Layout Size	3,000 sq. feet, including crew area and dispatch office
Layout Style	Mushroom, linear walk around
Period/era	Modern
Layout Height	Between 48 to 60 inches
Track	Code 83 mainline & yards
Turnouts	No. 8 mainline, No. 6 yard and industries
Mainline Roadbed	Masonite spline, ¾ plywood, and Homosote
Yard Roadbed	¾ plywood & Homosote
Min. Radius	Easements, 36 inch min., superelevated curves
Max Grade	1.8 percent ruling, visible
Scenery	In Progress
Control	DCC - Digitrax Radio
Signaling	Tomar and BLMA signals, CATS CTC dispatching program, Digitrax SE8C and BDL168
Car Forwarding	JMRI Operations, used in “real time”

Frequently Asked Questions

The staging area is referred to as the “Traffic Center.” Please use caution when entering.

The backdrop is made from .060 thick styrene, painted several shades of flat blue latex paint.

The backdrops are a combination of preprinted backdrops from Backdrop Warehouse, King Mill Enterprises, and SceniKing. The buildings are cut away and then glued to the painted backdrop with rubber cement.

The lighted structures and fixtures use LEDs (95%) and some incandescent light fixtures (5%). They are powered by a 12 volt power bus which runs the length of the layout.


DCC circuit breakers and reversers are made by DCC Specialties, Powershield X (PSX).

Contact Information


John Parker
Jkparker@comcast.net
(303) 718-8108

Visit the BNSF Fall River Division at: <http://www.bnsfrr.net>
Find us on Facebook: <https://www.facebook.com/Fallriverdiv/>

Fall River Division



Fall River



BNSF

Union Pacific

Private Lines/Other Railroads

Crew Change

We Can Move Your World.

